

#### **Indian Maritime University Kolkata** भारतीय समुद्री विश्वविद्यालय - कोलकाता

A Central University, Ministry of Ports, Shipping and Waterways, Govt. of India केंद्रीय विश्वविद्यालय, पत्तन,पोत परिवहन और जलमार्ग मंत्रालय, भारत सरकार P-19, Taratala Road, Kolkata - 700088



Dated: 19.02.2024

# **Notice Inviting Tender (NIT)**

IMU-KC/Transformer/M. Tech Lab/23-24

1. Indian Maritime University - Kolkata Campus invites offline bid in single bid <u>systems</u> i.e. Techno-commercial bid from eligible and qualified firms for the following material. Partial bids shall not be accepted.

2. Name of Material: 230V/25 kV Step Up Transformer

#### 3. Quantity & Specification:

Supply and installation of 01 no. of 230V/25 kV Step Up Transformer with the following specifications at the M. Tech HV Laboratory of the Campus located at P-19, Taratala Road, Kolkata-700088:

KVA rating: 250 VA (or more) • Primary voltage: 230V +- 10% Primary Current: 1.1A (or more)

Secondary voltage: 6Kv/12Kv/18KV/25KV/ +- 1%(via offline tap changer)

Secondary current: 10 mA (or more)

Position of tap changer: Side of the transformer enclosure Position of LV terminal: Side of the transformer enclosure Position of HV terminal: Top of the transformer enclose

#### 4. Tender Schedule is as follows:

01.	Closing date and time for	26.02.2024 / 1200 Hrs.
	submission of tender	
02.	Tender opening dated & time	27.02.2024 / 1200 Hrs.
	(Techno-commercial)	
03.	Place of Tender opening	Conference Hall of the Administrative Building
		of IMU-Kolkata Campus
		P-19, Taratala Road
		Kolkata – 700088

**5.** Purchaser: The Campus Director

Indian Maritime University – Kolkata Campus

P-19, Taratala Road, Kolkata – 700088

6. Consignee: A. E. (Electrical)

Indian Maritime University – Kolkata Campus

P-19, Taratala Road, Kolkata – 700088

**7.** Acceptance Authority: The Campus Director

Indian Maritime University – Kolkata Campus

P-19. Taratala Road, Kolkata – 700088



#### Indian Maritime University Kolkata भारतीय समुद्री विश्वविद्यालय - कोलकाता

A Central University, Ministry of Ports, Shipping and Waterways, Govt. of India केंद्रीय विश्वविद्यालय, पत्तन,पोत परिवहन और जलमार्ग मंत्रालय, भारत सरकार P-19, Taratala Road, Kolkata - 700088

P-19, Taratala Road, Kolkata - 700088 पी-१९, तारातला रोड, कोलकाता - ७०००८८ Established: 1949



Dated: 19.02.2024

# **TENDER DOCUMENT (TE)**

IMU-KC/Transformer/M. Tech Lab/23-24

### **SECTION – I**

#### GENERAL INSTRUCTIONS TO BIDDERS

- 1. The tender consisting of following documents is to be sent to consignee.
  - i. Tender form duly stamped and signed (i.e. bidder has agreed to all the terms & conditions of tender enquiry document. Bidders shall have to agree/accept all the terms and conditions of tenders including payment etc. Acceptance shall be unconditional and bidders shall have on claim and right in future on their terms if any.
  - ii. Techno-Commercial proposal as per Annexure
  - iii. Price Bid

The price bid should be signed by authorized signatory.

- (a) Prices should be quoted in **INR** and as per price schedule format (**Annexure-III**). The bidder shall indicate on the Price Schedule specifying all components of prices shown therein including the unit prices and total tender prices of the **items, services, packing & GST** AGAINST THE REQUIREMENT.
- (b) In case any charges not mentioned in the price bid, it will be treated as all the charges are free of cost for that item.
- (c) Unless otherwise specified, prices quoted by the bidder shall remain firm and fixed during the currency of the contract and not subject to variation on any account except statutory taxes and duties etc., if any, chargeable on the items are payable.
- (d) If there is a discrepancy between the amount expressed in words and figures, the amount in words shall prevail.
- **2. Opening of Tenders:** The purchaser will open the bid at the specified date and time and at the specified place as indicated in the NIT. Authorized representatives of the bidders, who have submitted tenders on time may attend the tender opening, provided they bring with them letters of authority from the corresponding bidders.

#### 3. SECURITY of TENDERS

<u>Unresponsive bids:</u> The tenders will be scrutinized before further evaluation to determine whether they are complete and meet the essential and important requirements, conditions etc. as prescribed in the document. The tenders received, are liable to be treated as non-responsive and will be summarily be ignored, if following documents not attached along with the bid.

- i. Tender form (Annexure II) not duly signed and stamped. (i.e. all the terms & conditions of tender documents are acceptable.)
- ii. Tender is unsigned and incomplete in any aspect.
- iii. Tender validity is shorter than the required period.

#### 4. Tender evaluation:

The bids will be evaluated by the Evaluation Committee duly approved by the competent authority which will decide the lowest bidder (L-1) on the basis of total cost provided by each bidder.

#### SECTION – II

#### GENERAL CONDITIONS OF CONTRACT (GCC)

- 1. Eligibility Conditions: Firms submitting bids should send following documents for consideration of their bids for evaluation.
  - a. Proof of GST Number
  - **b.** Copy of Pan Card Number
  - **c.** An undertaking that the firm is not blacklisted/debarred from any Govt. organization / Department
- 2. **Tender Validity:** The tenders shall remain valid for acceptance for a period of 30 days (Thirty days) after the date of tender opening prescribed in the document.

#### 3. Taxes and Duties:

<u>Income Tax and Service Tax etc.</u>: Deduction of Tax at Sources from payment to the suppliers as per existing law in force. The bidders (foreign as well as Indian bidders) may visit website of Income Tax Department of India for details of Tax Liabilities, Rules and Procedures etc. The bidders shall have to provide their Permanent Income Tax Number (PAN). Firm may also mention the applicable rates of TDS.

#### 4. Terms and Mode of Payment

<u>Payment Terms:</u> Payment shall be made subject to recoveries, if any, by way of penalty clause/TDS or any other charges as per terms & conditions of contract if not specified elsewhere in the document.

- i. 100% payment will be made after supply and receipt of goods in good condition and getting satisfactory report from the consignee.
- ii. The bidder shall submit detailed particulars of his bank account i.e.,
  - (a) Account Number (b) Bank Name (c) Branch Name (d) Address (e) IFS (f) MICR No. (g) Telephone No. etc.
- 5. IMU-KC reserves the right to increase or decrease the required quantities as mentioned in the document.
- 6. Item should be delivered preferably within 4 (four) week of placing order, failing which LD @ 0.5% per week or part of the week may be imposed upto a maximum of 105 of the value of the Purchase Order.
- 7. Submission of multiple bids by a single firm will lead to rejection of the bids and IMU-KC may blacklist such firm from future participation.

- 8. The quotation is to be submitted in sealed envelope clearly subscribing "Quotation for 230V/25KV Setup Transformer for the M. Tech HV Laboratory of IMU-KC".
- 9. Notwithstanding anything specified in this letter inviting quotation, IMU-KC at its sole discretion, unconditionally and without assigning any reason, reserves the right:
  - (a) To accept or reject lowest bid or any other bid or all the bids.
  - (b) To accept any bid in full or in part.
  - (c) To reject the bid offer not conforming to the tender conditions.
- 10. Micro and Small Enterprises should provide valid MSME certificate along with the quotation.
- 11. MSME quoting within the price band of L1+15% shall be allowed to supply the requirement up to 25% of the tender quantity subject to the condition that such Enterprises bring down their price to L1 price where L1 price is from other than a Micro and Small Enterprise. If L1 offer is from a Micro / Small Enterprise, this provision will not be applicable. In case more than one Micro and Small Enterprise is there within this span, the supply shall be shared proportionately to the tender quantity. For availing the advantage of L1+15%, bidders have to provide the MSME certificate along with the quotation.

#### 12. Arbitration clause:

If dispute or difference of any kind shall arise between the purchaser and the supplier in connection with or relating to the extension of contract, the parties shall make every effort to resolve the same amicably by mutual consultations. If the parties fail to resolve their dispute or difference by such mutual consultation within twenty-one days of its occurrence, then, unless otherwise provided in the REP, either the purchaser or the supplier may give notice to the other party of its intention to commence arbitration, as hereinafter provided the applicable arbitration procedure will be as per Indian Arbitration and Conciliation Act, 1996. In the case of a dispute or difference arising between the purchaser/consignee and all suppliers relating to any matter arising out of or connected with the contract, such dispute or difference shall be referred to the sole arbitration of an officer, appointed to be the arbitrator by the IMU – Kolkata Campus. The award of the arbitrator shall be final and binding on the parties to the contract. Each party shall bear its own cost.

- 13. **Venue of Arbitration:** The venue of arbitration shall be the place from where the contract has been issued i.e. Kolkata. The contract shall be interpreted in accordance with the laws of India.
- 14. **Acceptance of purchase order:** Within two (02) days from the date of issue of Purchase Order.

# **CHECKLIST**

This checklist shall be attached in the beginning of the tender.

S. N.	Activity	Compliance Yes / No / NA
01.	Have you kept validity of tender for acceptance by the purchaser as per the document?	
02.	Have you enclosed duly filled and signed Tender Form accepting all terms and conditions of the tender document Tenders may be ignored if not signed.	
03.	(i) Permanent Account No. of bidding firm with proof.	
	(ii) Is GST Number with registration certificate attached?	
04.	Name of the firm with complete address and their bank details who quoted the price.	
05.	Are the all bidding documents properly signed?	

(Signature with date) (Seal of the Bidder)

# TENDER ACCEPTANCE FORM

(For all the terms & conditions of tender document acceptable to bidder)

To	
The Director	
Indian Maritime University	
(Kolkata Campus)	
P-19, Taratala Road	
Kolkata – 700088	
Ref: Your document no	dated
amendment/corrigendum no.	the above mentioned document, including, dated
conformity with your above referred document	
If tender is accepted, we undertake to supply t etc.) as mentioned in tender document within ti	he goods (including installation & commissioning ime as mentioned in the tender document.
subsequently extended period, if any, agreed to	ceptance as required in tender document or for by us. I/We also accordingly confirm to abide by tender may be accepted any time before the expiry
I/We further understand that you are not boureceive against your above referred tender enqu	and to accept the lowest or any tender you may airy.
	banned/blacklisted by any Govt. Authorities. I/We onditions specified in above mentioned document,
(Signature with date)	
(Name and designation)	

Duly authorized to sign tender for and on behalf of bidder

# **PRICE SCHEDULE (Financial Bid Format)**

S. N.	Name of Items	Quantity	Base Price	GST	Unit Price	Total Price
(1)	(2)	(3)	(4)	(5)	(6)	(3 x 6)
						(7)
01.	230V/25KV Setup					
	Transformer (as per the					
	specifications in					
	Annexure – IV)					

Total	Tender Price:				
(In fig	gures):			 	
(In wo	ords): <u>Rupees</u>				
Note:					
2.	The quote shale be in IN If there is a discrepancy prevail. All applicable taxes must be mentioned in particular to the provide of the provid	y between ust be me	-	-	
Signat	ture of Bidder				
Seal o	of the Bidder				
Place:					
_					

## Measurement Parameters: 230V/25 kV Step Up Transformer

# **Technical specification:**

KVA rating: 250 VA (or more) Primary voltage: 230V +- 10% Primary Current: 1.1A (or more)

Secondary voltage: 6Kv/12Kv/18KV/25KV/ +- 1%(via offline tap changer) Secondary

current: 10 mA (or more)

Position of tap changer: Side of the transformer enclosure Position of LV terminal: Side of the transformer enclosure Position of HV terminal: Top of the transformer enclose

Should have an integrated voltmeter capable of displaying voltage